


	Item	Description	Price
	Sony DXC-D50	<ul style="list-style-type: none">• 4:3 aspect ratio, 3 CCD• composite video – BNC – 2 output• XLR mic audio• 4 lbs., 13oz.	\$200.00



Sony DXC-D30

- Zoom lens
- External microphone
- 5 lbs, 8 oz.

\$100.00



**Sony CA-537
Camera Adaptor**

- Works with any Sony DXC cameras including the D30 and D50

\$100.00



Sony CCU-M5

- Works with Sony DXC cameras
- Rack space required: 2U (3.5 inches tall)

\$225.00



**Extron RCP 2000
Gun Controller**

- 2 units available (please note that price is per unit)
- Comes with light
- Input selection for Program and Preview outputs
- Picture controls
- Transition effects, selection buttons and T-bar
- Ethernet monitoring

\$500.00



**Extron ISS 108
Seamless
Switcher/Scaler**

- Seamless switching between eight inputs with preview output capability
- Inputs: Eight fully configurable RGBHV, RGBS, RGsB, component, S-video, and/or composite video inputs on female BNCs
- Outputs: Program and preview outputs, each simultaneously provided on five BNCs and one 15-pin HD; optional DVI connector for program output
- Scales composite, S-video, component, and RGBHV signals

• \$400.00



**Extron ISS 408
Seamless
Switcher/Scaler**

- 20 output rates up to XGA (1024 x 768)

- Scales composite, S-video, component, RGBHV, and HDTV signals
- Selectable output rates from 640x480 to 1400x1050
- Internal video test patterns for calibration and setup
- Audio cross-fading when switching between sources
- Ethernet monitoring and control
- Compatible with RCP 2000 for remote device control

- \$1000



**Extron SGS 408
Seamless
Switcher/Scaler**

- Seamless switching with twelve digital transition effects such as wipes, dissolves, and titles
- Selectable output rates from 640x480 to 1400x1050, including HDTV 720p/60
- Compatible with Extron RCP 1000 or RCP 2000 and ECP 1000 control panels


\$1000.00




**Panasonic AG-MX
70 Video
Switcher**

- Comes with SDI card
- This unit supports broadcast-grade 4:2:2:4 digital component image quality
- The (8) inputs on this unit can all be used for analog composite feeds, or may be used as (4) analog component Y/Pb/Pr or YC inputs
- Each of the (8) inputs includes a tally output. This unit also includes (4) stereo inputs and (2) auxiliary mono inputs. One of the mono inputs may be used as a microphone input.

\$700.00

		<ul style="list-style-type: none"> • Features a headphone jack and level meters are displayed on a graphical interface. 	
	CD Recorder HHB CDR 850	<ul style="list-style-type: none"> • Professional Stand Alone CD recorder with professional Balanced XLR Inputs/Outputs • Unbalanced RCA Inputs & Outputs, • Digital AES/EBU Inputs & Digital Optical & Coaxial inputs and outputs 	\$200.00
	CD Recorder HHB CDR 830	<ul style="list-style-type: none"> • 24-bit A/D converters • 24-bit multilevel Delta sigma A/D converters • Precise laser assembly for 	\$200.00

		<p>exceptional accuracy</p> <ul style="list-style-type: none"> • Features SCMS-free digital input for easy recording from CD, DAT, MD, or hard disk • Three synchro record modes • Built-in sample rate converter (32-48kHz) 	
	<p>Jands Hog 500 Moving light consoles</p>	<ul style="list-style-type: none"> • 2 available (price per unit) • Can handle any combination of lighting fixtures, moving or static, with moving lights • With flexible programming and playback options the Jands Hog 500 is well suited to a wide variety of applications, making it the 	<p>\$1000.00 (each)</p>

